



- Colours**
- Powder Coat**
    - Charcoal
    - Deep Pool
    - Intensity Juicy Lime
  - Corrugated Sheet**
    - N/A
  - Timber**
    - N/A
  - HDPE Plastic**
    - Bright Green/Orange/Bright Green
  - Wire Rope**
    - Acid Green
  - Fibreglass Slide**
    - N/A
  - Rotomoulded Plastic**
    - N/A

 Made in Australia

Plan by Concept | © Adventureplus.net.au | All rights reserved. This illustration is for informational purposes only.





Plan and Concept © Adventure Playgrounds Pty. Ltd. 2023. Illustrations are for informational purposes only. Actual equipment may vary.


 Made in Australia





Plan and Concept © Adventure Playgroup Pty Ltd 2022. Illustrations are schematic only, actual details may vary.

 Made in Australia



- Provide undersurfacing in accordance with AS 4422:2016. Mulch undersurfacing should be 200mm minimum compacted depth.
- Plans and illustrations are schematic only, actual details may vary. Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.
- FHOF - Free Height Of Fall as per AS 4685:2021
- GC - Ground Clearance under swing attachments used to calculate impact area, free space and FHOF
- Falling Space:
 

	Minimum impact area as per AS 4685:2021		Required free space as per AS 4685:2021
	Recommended clearance area		Circulation space as per AS 4685:2021

Please Note: Undersurfacing is not included in Ninja Course unit pricing.