



- Colours**
- Powder Coat**
APO Grey
Intensity Reef
Intensity Flame
 - Corrugated Sheet**
N/A
 - Timber**
N/A
 - HDPE Plastic**
Blue/Yellow/Blue
Red/Yellow/Red
 - Wire Rope**
Blue
 - Fibreglass Slide**
N/A
 - Rotomoulded Plastic**
N/A

 **Made in Australia**

Plan and Concept: © Adventure Plus Playgroup Pty. Ltd. 2023. Illustrations are schematic only, actual details may vary.




© 2023 Adventure Plus. All rights reserved. Illustrations are schematic only. Actual materials may vary.

 Made in Australia



Adventure Plus Playgrounds Pty. Ltd. 2023. Illustrations are schematic only, actual details may vary.

 Made in Australia



SCALE
1:100

• Provide undersurfacing in accordance with AS 4422:2016. Mulch undersurfacing should be 200mm minimum compacted depth.

• Plans and illustrations are schematic only, actual details may vary. Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.

• FHOF - Free Height Of Fall as per AS 4685:2021

• GC - Ground Clearance under swing attachments used to calculate impact area, free space and FHOF

• Falling Space:

— Minimum impact area as per AS 4685:2021 — Required free space as per AS 4685:2021
 - - - Recommended clearance area - - - Circulation space as per AS 4685:2021

Please Note: Undersurfacing is not included in Ninja Course unit pricing.

Plan and Concept © Adventure Playgrounds Pty. Ltd. 2023.