



Colours

Powder Coat

Intensity Reef
Intensity Flame
Intensity Moonlight

Corrugated Sheet

N/A

Timber

N/A

HDPE Plastic


Red/Yellow/Red

Wire Rope


Red

Rotomoulded Plastic


Yellow



Plan and Concept © Adventure Playgrounds Pty Ltd 2023. Illustrations are not to scale. All actual sizes are shown.




Plan and Concept © Adventure Playgrounds Pty. Ltd. 2023. Illustrations are representative only. Actual details may vary.



Standard Guardrail Panels: Steel Pipe

SCALE 1:100 0 1 2 3 4

• Plans and illustrations are schematic only, actual detail may vary.
Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.



SCALE
1:100



- Provide undersurfacing in accordance with AS 4422:2016. Mulch undersurfacing should be 200mm minimum compacted depth.
- Plans and illustrations are schematic only, actual details may vary. Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.
- FHOF - Free Height Of Fall as per AS 4685:2021
- GC - Ground Clearance under swing attachments used to calculate impact area, free space and FHOF
- Falling Space:

— Minimum impact area as per AS 4685:2021	— Required free space as per AS 4685:2021
- - - Recommended clearance area	- - - Circulation space as per AS 4685:2021