



- Colours**
- Powder Coat**
    - Berry Grey
    - Intensity Reef
    - Intensity Flame
    - Intensity Moonlight
  - Corrugated Sheet**
    - N/A
  - Timber**
    - N/A
  - HDPE Plastic**
    - N/A
  - Wire Rope**
    - Red
    - Blue
  - Fibreglass Slide**
    - N/A
  - Rotomoulded Plastic**
    - N/A


Plan and Concept © Adventure Playgrounds Pty. Ltd. 2023. Illustrations are schematic only, actual details may vary.

 **Made in Australia**



Plan and Concept: © Adventure Playgrounds Pty. Ltd. 2023. Illustrations are schematic only, actual details may vary.


 Made in Australia



SCALE 1:100 0 1 2 3 4

• Plans and illustrations are schematic only, actual detail may vary.  
Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.

Plan and Concept © Adventure Playgrounds Pty. Ltd. 2023.



SCALE  
1:100

- Provide undersurfacing in accordance with AS 4422:2016. Mulch undersurfacing should be 200mm minimum compacted depth.
- Plans and illustrations are schematic only, actual details may vary. Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.
- FHOFF - Free Height Of Fall as per AS 4685:2021
- GC - Ground Clearance under swing attachments used to calculate impact area, free space and FHOFF
- Falling Space:
  - Minimum impact area as per AS 4685:2021
  - Required free space as per AS 4685:2021
  - - - Recommended clearance area
  - - - Circulation space as per AS 4685:2021