



Colours

Powder Coat
 Berry Grey
 Dark Violet
 Intensity Reef
 Intensity Storm

Corrugated Sheet
 N/A

Timber
 N/A

HDPE Plastic
 Blue/Yellow/Blue
 Purple/Orange/Purple

Wire Rope
 Blue
 Violet

Fiberglass Slide
 Central Blue

Rotomoulded Plastic
 N/A

 **Made in Australia**

Plan and Concepts © Adventure Playgrounds Pty. Ltd. 2023. Illustrations are for reference only and do not represent actual products.




Plan and Concept © Adventure Playgrounds Pty. Ltd. 2023. Illustrations are schematic only. All rights reserved.






Plan and Concept © Adventure Playgrounds Pty. Ltd. 2023. Illustrations are schematic only. Actual materials may vary.



SCALE 1:100 0 1 2 3 4

Plans and illustrations are schematic only, actual detail may vary. Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.

Plan and Concept © Adventure Playgrounds Pty. Ltd. 2023.



SCALE
1:100

- Provide undersurfacing in accordance with AS 4422:2016. Mulch undersurfacing should be 200mm minimum compacted depth.
- Plans and illustrations are schematic only, actual details may vary. Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.
- FHO - Free Height Of Fall as per AS 4685:2021
- GC - Ground Clearance under swing attachments used to calculate impact area, free space and FHO
- Falling Space:
 - Minimum impact area as per AS 4685:2021
 - Required free space as per AS 4685:2021
 - Recommended clearance area
 - Circulation space as per AS 4685:2021