



- Colours**
- Powder Coat**
 - Charcoal
 - Intensity Reef
 - Intensity Summer
 - Corrugated Sheet**
 - N/A
 - Timber**
 - N/A
 - HDPE Plastic**
 - Blue/Yellow/Blue
 - Orange/Purple/Orange
 - Wire Rope**
 - Blue
 - Orange
 - Rotomoulded Plastic**
 - Orange

 **Made in Australia**

Plan and Concept © Adventure Playgrounds Pty. Ltd. 2023. Illustrations are schematic only. Actual product may vary.




Plan and Concept © Adventure Playgrounds Pty. Ltd. 2023. Illustrations are schematic only, actual products may vary.



Plan and Concept © Adventure Playgrounds Pty. Ltd. 2023. Illustrations are schematic only, actual products may vary.


 Made in Australia



SCALE 1:100 0 1 2 3 4

• Plans and illustrations are schematic only, actual detail may vary.
Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.

Plan and Concept © Adventure Playgrounds Pty. Ltd. 2023.



SCALE 1:100

- Provide undersurfacing in accordance with AS 4422:2016. Mulch undersurfacing should be 200mm minimum compacted depth.

- Plans and illustrations are schematic only, actual details may vary. Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.

- FHOF - Free Height Of Fall as per AS 4685:2021

- GC - Ground Clearance under swing attachments used to calculate impact area, free space and FHOF

- Falling Space:

| | | | |
|--|---|--|---|
| | Minimum impact area as per AS 4685:2021 | | Required free space as per AS 4685:2021 |
| | Recommended clearance area | | Circulation space as per AS 4685:2021 |