



- Colours**
- Powder Coat**
  - Deep Pool
  - Dark Violet
  - Intensity Flame
  - Intensity Summer
  - Intensity Moonlight
  - Corrugated Sheet**
  - N/A
  - Timber**
  - N/A
  - HDPE Plastic**
  - Red/Yellow/Red
  - Yellow/Red/Yellow
  - Wire Rope**
  - Red
  - Yellow
  - Rotomoulded Plastic**
  - Yellow

 **Made in Australia**

Play and Concept © Adventure Plus Play Systems Pty. Ltd. 2023. Illustrations are schematic only.




Plan and Concept. © Adventure Playgrounds Pty. Ltd. 2023. Illustrations are schematic only. Final details may vary.

 Made in Australia



Plan and Concept © Adventure Playgrounds Pty. Ltd. 2023. Illustrations are schematic only, actual details may vary.






SCALE 1:100 0 1 2 3 4

• Plans and illustrations are schematic only, actual detail may vary.  
Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.

Plan and Concept © Adventure Playgrounds Pty. Ltd. 2023.



SCALE  
1:100

- Provide undersurfacing in accordance with AS 4422:2016. Mulch undersurfacing should be 200mm minimum compacted depth.
- Plans and illustrations are schematic only, actual details may vary. Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.
- FHO - Free Height Of Fall as per AS 4685:2021
- GC - Ground Clearance under swing attachments used to calculate impact area, free space and FHO
- Falling Space:
  - Minimum impact area as per AS 4685:2021
  - Required free space as per AS 4685:2021
  - Recommended clearance area
  - Circulation space as per AS 4685:2021