



Colours

Powder Coat

Berry Grey
Intensity Reef
Intensity Summer
Intensity Juicy Lime

Corrugated Sheet

N/A

Timber

N/A

HDPE Plastic

Blue/Bright Green/Blue
Bright Green/Orange/Bright Green

Wire Rope

Blue
Acid Green

Rotomoulded Plastic

Orange
French Blue

 Made in Australia

Plan and Concept © Adventure Playgrounds Pty. Ltd. 2019. Illustrations are for indicative only. All dimensions are subject to change.





Plan and Concept © Adventure Playgrounds Pty. Ltd. 2023. Illustration by Adventure Playgrounds Pty. Ltd. All rights reserved. No part of this publication may be reproduced without the prior written permission of Adventure Playgrounds Pty. Ltd.




Plan and Concept © Adventure Playgrounds Pty. Ltd. 2023. Illustration and equipment are subject to availability and design may vary.

 Made in Australia



• Plans and illustrations are schematic only, actual detail may vary.
Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.

Plan and Concept © Adventure Playgrounds Pty. Ltd. 2023.



- Provide undersurfacing in accordance with AS 4422:2016. Mulch undersurfacing should be 200mm minimum compacted depth.
- Plans and illustrations are schematic only, actual details may vary. Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.
- FHO - Free Height Of Fall as per AS 4685:2021
- GC - Ground Clearance under swing attachments used to calculate impact area, free space and FHO
- Falling Space:
 - Minimum impact area as per AS 4685:2021
 - Required free space as per AS 4685:2021
 - - - Recommended clearance area
 - - - Circulation space as per AS 4685:2021