



- Colours**
- Powder Coat**  
Hammersley Brown  
Berry Grey  
APO Grey
  - Corrugated Sheet**  
N/A
  - Timber**  
Old Gold
  - HDPE Plastic**  
Grey/White/Grey
  - Wire Rope**  
Black
  - Fibreglass Slide**  
Seagull Grey
  - Rotomoulded Plastic**  
Light Grey

 **Made in Australia**

Plan and Concept © Adventure Playgrounds Pty. Ltd. 2025. All rights reserved. Only actual details are shown.





Plan and Concept © Adventure Playgrounds Pty. Ltd. 2023. Illustration and photography are not actual product images.






Plan and Concept © Adventure Play Systems Pty. Ltd. 2022. Illustrations are schematic only, actual details may vary.

 Made in Australia






Standard Guardrail Panels: Timber

Guardrails Under Roof To Be  
1200mm Above 2800mm Platform

SCALE 1:100

• Plans and illustrations are schematic only, actual detail may vary.  
Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.



SCALE  
1:100

- Provide undersurfacing in accordance with AS 4422:2016. Mulch undersurfacing should be 200mm minimum compacted depth.
- Plans and illustrations are schematic only, actual details may vary. Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.
- FHO - Free Height Of Fall as per AS 4685:2021
- GC - Ground Clearance under swing attachments used to calculate impact area, free space and FHO
- Falling Space:
  - Minimum impact area as per AS 4685:2021
  - Required free space as per AS 4685:2021
  - Recommended clearance area
  - Circulation space as per AS 4685:2021