




#### Colours

**Powder Coat**  
Berry Grey  
Intensity Summer

**Wire Rope**  
Acid Green



Plan and Concept © Adventure Playgrounds Pty. Ltd. 2022. Illustrations are schematic only, actual details may vary.






Plan and Concept © Adventure Playgrounds Pty. Ltd. 2022. Illustrations are schematic only. All sizes subject to change.








SCALE 1:100 0 1 2 3 4

• Plans and illustrations are schematic only, actual detail may vary.  
Do not scale for dimensions. Allow 5% minimum additional  
clearance for site variations.

Plan and Concept © Adventure Playgrounds Pty. Ltd. 2022.



SCALE  
1:100

0 1 2 3 4

- Provide undersurfacing in accordance with AS 4422:2016. Mulch undersurfacing should be 200mm minimum compacted depth.
- Plans and illustrations are schematic only, actual details may vary. Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.
- FHO - Free Height Of Fall as per AS 4685:2021
- GC - Ground Clearance under seat used to calculate impact area, free space and FHO
- Falling Space:
 

Minimum impact area as per AS 4685:2021	Required free space as per AS 4685:2021
Recommended clearance area	Circulation space as per AS 4685:2021