



Colours

Powder Coat
 Charcoal
 Dark Violet
 Intensity Leaf
 Intensity Flame

Corrugated Sheet
 N/A

Timber
 N/A

HDPE Plastic
 Purple/Orange/Purple
 Red/Yellow/Red

Wire Rope
 Bright Green
 Violet

Fibreglass Slide
 Apple Green

Rotomoulded Plastic
 Flame Red

 **Made in Australia**

For and licensed by Adventure Plus Pty Ltd. ©2023. Illustrations are conceptual only. Actual details may vary.




Adventure Playgrounds Pty. Ltd. 2023. Illustrations are schematic only. Actual details may vary.

 Made in Australia



Plan and Concept © Adventure Playgrounds Pty. Ltd. 2023. Illustrations are schematic only. Actual details may vary.


 Made in Australia



Standard Guardrail Panels: Plastic Panels

SCALE 1:100 0 1 2 3 4

• Plans and illustrations are schematic only, actual detail may vary.
Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.



SCALE
1:100

- Provide undersurfacing in accordance with AS 4422:2016. Mulch undersurfacing should be 200mm minimum compacted depth.
- Plans and illustrations are schematic only, actual details may vary. Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.
- FHO - Free Height Of Fall as per AS 4685:2021
- GC - Ground Clearance under swing attachments used to calculate impact area, free space and FHO
- Falling Space:

	Minimum impact area as per AS 4685:2021		Required free space as per AS 4685:2021
	Recommended clearance area		Circulation space as per AS 4685:2021