



Colours

Powder Coat
 Berry Grey
 Dark Violet
 Intensity Leaf
 Intensity Summer

Corrugated Sheet
 N/A

Timber
 N/A

HDPE Plastic
 Orange/Purple/Orange
 Purple/Orange/Purple

Wire Rope
 N/A

Fibreglass Slide
 N/A

Rotomoulded Plastic
 Orange

 **Made in Australia**

Plan and Concept © Adventure Playgrounds Pty. Ltd. 2025. All dimensions and components only, actual product may vary.




Plan and Concept © Adventure Playgrounds Pty. Ltd. 2021. All rights reserved. Only actual details may vary.

 Made in Australia




Plan and Concept © Adventure Playgrounds Pty. Ltd. 2023. Illustrations are schematic only, actual product may vary.



Standard Guardrail Panels - Plastic Panels

SCALE 1:100 0 1 2 3 4

• Plans and illustrations are schematic only, actual detail may vary.
Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.



SCALE 1:100

- Provide undersurfacing in accordance with AS 4422:2016. Mulch undersurfacing should be 200mm minimum compacted depth.
- Plans and illustrations are schematic only, actual details may vary. Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.
- FHOFF - Free Height Of Fall as per AS 4685:2021
- GC - Ground Clearance under swing attachments used to calculate impact area, free space and FHOFF
- Falling Space:
 - Minimum impact area as per AS 4685:2021
 - Required free space as per AS 4685:2021
 - Recommended clearance area
 - Circulation space as per AS 4685:2021