



**Colours**

**Powder Coat**  
 Charcoal  
 Intensity Flame  
 Intensity Summer  
 Intensity Moonlight

**Corrugated Sheet**  
 N/A

**Timber**  
 N/A

**HDPE Plastic**  
 Red/Yellow/Red  
 Yellow/Red/Yellow

**Wire Rope**  
 Burnt Orange

**Fibreglass Slide**  
 International Orange

**Rotomoulded Plastic**  
 Red  
 Yellow

 **Made in Australia**

Plan and Concept © Adventure Playgrounds Pty. Ltd. 2023. Illustration by Acorn Creative Play Art




Plan and Concept © Adventure Playgrounds Pty. Ltd. 2023. Illustrations are shown for informational purposes only.






For more information, contact Adventure Playgrounds Pty. Ltd. 2023. Illustrations are schematic only, actual details may vary.



SCALE 1:100 0 1 2 3 4

• Plans and illustrations are schematic only, actual detail may vary. Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.

SP Steel Pipe Panel  
P Perforated Steel Panel



SCALE 1:100

- Provide undersurfacing in accordance with AS 4422:2016. Mulch undersurfacing should be 200mm minimum compacted depth.
- Plans and illustrations are schematic only, actual details may vary. Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.
- FHOF - Free Height Of Fall as per AS 4685:2021
- GC - Ground Clearance under swing attachments used to calculate impact area, free space and FHOF
- Falling Space:
  - Minimum impact area as per AS 4685:2021
  - Required free space as per AS 4685:2021
  - Recommended clearance area
  - Circulation space as per AS 4685:2021

Plan and Concept © Adventure Playgrounds Pty. Ltd. 2023.