



Colours

Powder Coat

- Terrain
- APO Grey
- Berry Grey

Corrugated Sheet

N/A

Timber

- Spotted Gum

HDPE Plastic

- Grey/White/Grey

Wire Rope

- Black

Fibreglass Slide

- Seagull Grey

Rotomoulded Plastic

- Light Grey

 **Made in Australia**

Plan and Concept: © Adventure Playgrounds Pty. Ltd. 2023. Illustration by Adventure Playgrounds Pty. Ltd. for detail only.




Plan and Concept © Adventure Playgrounds Pty. Ltd. 2023. Illustrations are for informational purposes only. All rights reserved.




Plan and Concept: © Adventure Playgrounds Pty. Ltd. 2023. Illustrations are schematic only, actual product may vary.

 Made in Australia




Standard Guardrail Panels: Timber With Castle Tops And Windows
 Timber Headers With Castle Tops And Bottoms To All Sides Of Main Platform Clusters



• Plans and illustrations are schematic only, actual detail may vary.
 Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.

Plan and Concept © Adventure Playgrounds Pty. Ltd. 2023.



SCALE
1:100

- Provide undersurfacing in accordance with AS 4422:2016. Mulch undersurfacing should be 200mm minimum compacted depth.
- Plans and illustrations are schematic only, actual details may vary. Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.
- FHOFF - Free Height Of Fall as per AS 4685:2021
- GC - Ground Clearance under swing attachments used to calculate impact area, free space and FHOFF
- Falling Space:

	Minimum impact area as per AS 4685:2021		Required free space as per AS 4685:2021
	Recommended clearance area		Circulation space as per AS 4685:2021