



Colours

Powder Coat

- APO Grey
- Doeskin
- Wedgewood
- Pale Eucalypt

Corrugated Sheet

- Pale Eucalypt

Timber

- Spotted Gum

HDPE Plastic

- Beige/Green/Beige

Wire Rope

- Olive Green

Fibreglass Slide

- Mist Green

Rotomoulded Plastic

- N/A



Plan and Concept © Adventure Playgrounds Pty. Ltd. 2023. Illustrations are illustrative only. Actual product may vary.




Plan and Concept © Adventure Playgrounds Pty. Ltd. 2023. Illustration by Adventure Playgrounds Pty. Ltd.





Plan and Concept: © Adventure Playgrounds Pty. Ltd. 2023. Illustrations are schematic only. Actual colours may vary.


 Made in Australia



Standard Guardrail Panels: Timber
With Random Angled Tops Of Boards

SCALE 1:100 0 1 2 3 4

• Plans and illustrations are schematic only, actual detail may vary.
Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.



SCALE 1:100

- Provide undersurfacing in accordance with AS 4422:2016. Mulch undersurfacing should be 200mm minimum compacted depth.

- Plans and illustrations are schematic only, actual details may vary. Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.

- FHO - Free Height Of Fall as per AS 4685:2021

- GC - Ground Clearance under swing attachments used to calculate impact area, free space and FHO

- Falling Space:

— Minimum impact area as per AS 4685:2021	— Required free space as per AS 4685:2021
- - - Recommended clearance area	- - - Circulation space as per AS 4685:2021