




- Colours**
- Powder Coat**
 - APO Grey
 - Dark Violet
 - Intensity Juicy Lime
 - Corrugated Sheet**
 - N/A
 - Timber**
 - Old Gold
 - HDPE Plastic**
 - Bright Green/Orange/Bright Green
 - Wire Rope**
 - Acid Green
 - Violet
 - Fibreglass Slide**
 - Apple Green
 - Rotomoulded Plastic**
 - Purple
 - Plasmo Green

 **Made in Australia**




Plan and Concept © Adventure Playgrounds Pty. Ltd. 2023. Illustration by Adventure Playgrounds Pty. Ltd.



Play and Concepts © Adventure Playgrounds Pty. Ltd. 2023. Illustrations are schematic only. Actual product may vary.


 Made in Australia



SCALE 1:100 0 1 2 3 4

Plans and illustrations are schematic only, actual detail may vary. Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.

P Perforated Steel Panel
T Timber Panel



SCALE
1:100

- Provide undersurfacing in accordance with AS 4422:2016. Mulch undersurfacing should be 200mm minimum compacted depth.
- Plans and illustrations are schematic only, actual details may vary. Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.
- FHO - Free Height Of Fall as per AS 4685:2021
- GC - Ground Clearance under swing attachments used to calculate impact area, free space and FHO
- Falling Space:

	Minimum impact area as per AS 4685:2021		Required free space as per AS 4685:2021
	Recommended clearance area		Circulation space as per AS 4685:2021