




- Colours**
- Main Frame**  
Dark Blue RAL 5013
  - Joiners**  
Yellow RAL 1021
  - Wire Rope**  
Red  
Yellow
  - Powder Coat**  
Intensity Flame
  - HDPE Plastic**  
Red/Yellow/Red  
Yellow/Red/Yellow
  - Rotomoulded Plastic**  
Flame Red  
Yellow

Plan and Concept © Adventure Playgrounds Pty. Ltd. 2021. Illustration for schematic only, actual details may vary.




SCALE 1:100

0 1 2 3 4

• Plans and illustrations are schematic only, actual detail may vary.  
Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.

Plan and Concept © Adventure Playgrounds Pty. Ltd. 2022.



SCALE 0 1 2 3 4  
1:100

- Provide undersurfacing in accordance with AS 4422:2016. Mulch undersurfacing should be 200mm minimum compacted depth.
- Plans and illustrations are schematic only, actual details may vary. Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.
- FHO - Free Height Of Fall as per AS 4685:2021
- GC - Ground Clearance under swing attachments used to calculate impact area, free space and FHO
- Falling Space:
  - Minimum impact area as per AS 4685:2021
  - Required free space as per AS 4685:2021
  - Recommended clearance area
  - Circulation space as per AS 4685:2021

Plan and Concept © Adventure Playgrounds Pty. Ltd. 2024.