



Colours

Powder Coat

- APO Grey
- Dark Violet
- Intensity Sunshine

Corrugated Sheet

N/A

Timber

N/A

HDPE Plastic

- Yellow/Red/Yellow
- Purple/Orange/Purple

Wire Rope

Violet

Fibreglass Slide

N/A

Rotomoulded Plastic

N/A

 **Made in Australia**




Plan and Concept © Adventure Playgrounds Pty. Ltd. 2023. Illustrations are schematic only. Actual details may vary.

 Made in Australia



Play Area Concept © Adventure Playgrounds Pty. Ltd. 2023. Illustrations are schematic only, actual details may vary.

 Made in Australia



- Provide undersurfacing in accordance with AS 4422:2016. Mulch undersurfacing should be 200mm minimum compacted depth.
- Plans and illustrations are schematic only, actual details may vary. Do not scale for dimensions. Allow 5% minimum additional clearance for site variations.
- FHOF - Free Height Of Fall as per AS 4685:2021
- GC - Ground Clearance under swing attachments used to calculate impact area, free space and FHOF
- Falling Space:

	Minimum impact area as per AS 4685:2021		Required free space as per AS 4685:2021
	Recommended clearance area		Circulation space as per AS 4685:2021

Please Note: Undersurfacing is not included in Ninja Course unit pricing.